



PRODUCT INFORMATION

Subscribe to our Channel



youtube/myluminousindia





facebook.com/LuminousDilSe/





INVERTERS | BATTERIES



LUMINOUS 3.0

35

Years of Business

28

Offices Across India

41

Countrie



Manufacturing Facilities

6014


Channel Partners



Happy Home

■Table of content ■€

Home Inverters	06
HKVA Inverters	14
Batteries	20
Trolley	32
Inverter Specifications	36
Battery Specifications	38



■About us

Luminous Power Technologies is referred to as a 'Power Specialist Company'.

It is a popular brand that offers a comprehensive selection of cutting-edge devices and revolutionized power back-up, power storage, distributed power generation, renewable energy and alternative energy solutions.

The company's mission statement and philosophy have always been 'Customer Delight' through innovation, devotion, novelty, passion and developing constantly to improve the comfort, efficiency, and productivity. To ensure best solution for the consumers, Luminous has inculcated a culture of innovation and development. Thus, building a legacy of trust and performance.

6000 + Strong workforce, provides services to over 60,000 channel partners and crores of customers through 6 manufacturing facilities, more than 28 sales offices in India, and presence in more than 41 countries worldwide.

LUMINOUS HAS BEEN AWARDED

CONSUMER SUPER BRAND 2023

INDIA'S MOST TRUSTED BRAND, 2017

INDIA'S MOST ATTRACTIVE BRAND, 2015

CONSUMER WORLD AWARD





With a broad portfolio of Power Backup & Solar Solutions, Luminous Power Technologies has established itself as the **Top Energy Solutions provider in India over the last 35 years.**

• Manufacturing facilities











INVERTER PLANT



INVERTER PLANT

BADDI, HIMACHAL PRADESH

BATTERY PLANT











GAGRET, HIMACHAL PRADESH

GAGRET, HIMACHAL PRADESH GAGRET, HIMACHAL PRADESH HOSUR, TAMILNADU HARIDWAR, UTTARAKHAND

■Unmatched customer service

Prompt and continuous support to keep your inverter and battery running.

Our services in 300 cities with trained professionals and convenient helpline, makes us the most powerful brand in India.

250+
SERVICE CENTRES

1200+
SERVICE TECHNICIANS



On Site Service

Service facility for our customers by highly qualified technicians, in the comfort of their homes.



WhatsApp Service Facilities

Direct message facility through whatsapp to answer consumer queries.



Network of Service Centres

Wide network of 250+ authorized service centres with over 1200+ on-field service personnel rendering their services to 4,200+ locations, all over India.



999933039|care@luminousindia.com



HOME INVERTERS



UNINTERRUPTED POWER



RELIABLE &
DURABLE DESIGN



SUPPORTS POPULAR BATTERY TYPES (FLAT & TUBULAR)



LUMINOUS

⊠icon

SAFE FOR DOMESTIC & COMMERCIAL APPLICATIONS







Inverters that India loves

their core, to offer you unparalleled performance and a smooth supply of power.

Are power-cuts disrupting your life? Bring home Luminous' best-in-class home inverters and

enjoy uninterrupted convenience. These inverters are designed, with innovation and excellence at

LUMINOUS



INVERTER WITH BUILT-IN LITHIUM-ION BATTERY

Li-On is a premium inverter series with in-built Lithium-ion battery making it compact, safe, long lasting and efficient. Lithium-ion batteries offer longer life, fast battery charging, maintenance free operation and consistent back-up throughout its life. The LCD display shows performance statistics, like, charging time, backup time and running load status.





Sine Wave Technology



Integrated (Inverter+ Battery) Solution



Compact Design



LCD Display



Intelligent Battery Management System (BMS)



Safe to Keep Indoors

Key features

- O Lithium-ion battery offers long battery life, consistent back-up time throughout its life, faster battery charging and maintenance free consumer experience
- O Compact design (requires 1 sq. ft. floor area) with LCD display which shows performance statistics
- Ocmpletely safe & beautiful product, with no acid spills, toxic fumes & protruding wires; thus, can be placed inside the home

RANGE AVAILABLE



For detailed specification please refer last section of this catalogue.

con

POWERFUL INSIDE, **BEAUTIFUL OUTSIDE**

Icon is a revolutionary inverter series with dedicated battery enclosure. It is ergonomically designed to add convenience during battery water top-up process and ensures safety with shock proof design and hidden terminals. The series $\,$ supports LVFC (low voltage fast battery charging) technology which reduces battery charging time. Equipped with pure sine wave technology, Icon complements the décor of your living space.







Pure Sine wave Technology



Easy Water Top-up (Battery)



No Open Wires, Completely Safe



MCB & Mains By-pass protection*



Noiseless Operation



Eco & UPS mode

Key features

- O Beautifully designed with a dedicated battery enclosure
- LVFC technology provide full charging current even at 95V ensuring faster battery charging
- O No open wires as battery can be encapsulated inside the inverter making it completely safe from any accidental contact

RANGE AVAILABLE



* Applicable for icon 1600 only







INDIA'S MOST INTELLIGENT INVERTER

Zelio is India's most loved feature packed inverter series equipped with 32-bit DSP processor and informative LCD display with features such as power back-up time display, battery charging time display, fault indicators and much more. It also has MCB protection and Mains by-pass switch which keeps the power supply uninterrupted.







Pure Sine Wave Technology



Elegant & Premium Design



Protection Through MCB



Mains By-pass Switch



Intuitive & Easy to Read LCD Interface



Eco & UPS Mode

Key features

- LCD screen to show performance statistics like charging time, back-up time and other fault indicators
- O Mains by-pass switch to restore mains supply in case of fault in the inverter
- Input mains protection through MCB ensures complete safety of appliances even when there is short circuit at output

RANGE AVAILABLE



For detailed specification please refer last section of this catalogue.



FAST BATTERY CHARGING SERIES

Eco Watt Rapid & Shakti Charge series are India's most trusted inverter series for rural and semi–urban areas with in-built heavy-duty charger and LVFC (Low voltage fast battery charging) technology that charges the battery with full charging current even when input voltage is low. It is an ideal choice for areas which experience low voltage conditions and frequent power-cuts.





Modified Square Wave



Low Voltage fast Charging (LVFC) Technology



Twin Output Socket for Easy Load Distribution*



Express Battery Charging Starts from 90V



Runs Heavy Load on Single Battery



Eco & UPS Mode

Key features

- Low voltage Fast Charging (LVFC)* technology to charge the battery faster than normal inverters
- O Ideal for areas with low input voltage & frequent power-cuts
- User friendly LED indication for checking performance of inverter battery system

RANGE AVAILABLE



*Available only in Eco Watt XL Rapid 1650. For detailed specification please refer last section of this catalogue.








TOUGHEST SINE WAVE INVERTER SERIES

Eco Volt Neo series with pure sine wave technology is a best seller from the house of Luminous. It is equipped with advanced microprocessor design, LVFC technology, user friendly LED indications and many other protection features and alarms making it the best choice for home, office and small commercial applications.







Sine Wave Technology



Express Battery Charging Starts from 95V



Safe for Appliances



Reliable Long-lasting Performance



Supports Flat, Tubular & Local Battery



Eco & UPS Mode

Key features

- O LVFC technology provides full charging current even at 95V, Ideal for areas with low voltage conditions
- User friendly LED indication for checking performance of inverter battery system
- Advanced microprocessor ensures reliable & quick switch over from mains to inverter & vice versa

RANGE AVAILABLE



Eco Volt Neo 850 700VA| 12V|560W

Eco Volt Neo 1050 900VA1 12V | 756W

Eco Volt Neo 1250 1100VA | 12V | 924W

Eco Volt Neo 1550 1400VA| 12V | 1176W

Eco Volt Neo 1650 1500VA I 24V | 1260W

Eco Volt 2000VA| 24V | 1600W

For detailed specification please refer last section of this catalogue



NO.1 SELLING LUMINOUS SERIES

Eco Watt Neo series with modified square wave technology is equipped with advanced microprocessor, fast battery charging, user friendly LED indications and many other protection features and alarms. It is suitable for home, office and small commercial applications.





Modified Square Wave Technology



Faster Battery Charging



Reliable Long-lasting Performance



Supports Flat, Tubular & Local Battery



Battery Charging Starts from 100V



Eco & UPS

Key features

- Adaptive battery charging control (ABCC) ensures longer battery life & higher back-up time
- User friendly LED indication for checking performance of inverter battery system
- Equipped with over charging, overload, short circuit & over temperature protection along with respective alarms

RANGE AVAILABLE

Eco Watt Neo 700 600VA|

12V | 504W

Eco Watt Neo 800 700VA| 12V|588W

Eco Watt Neo 900 | AV008 12V | 672W

Eco Watt

Neo 1050 900VA1 12V | 756W

Eco Watt Neo 1250 Pro 1100VA I 12V | 924W

Eco Watt Neo 1650 1500VA I 24V | 1260W

Eco Watt Neo 2300 2000VA| 24V | 1600W





HIGH CAPACITY INVERTERS

POWER-UP your entire home, office or commercial establishment

Luminous offers an extensive range of high-capacity inverters that can power heavy-duty and sensitive appliances in residential and commercial spaces.

Now run ACs, Mixer grinders, Water pumps, Water heaters, Washing machines as well as commercial appliances like Deep freezers, Dental chairs, Fuel dispensers etc. with ease, during power-cut. Find the best high-capacity inverter for your needs here.





HIGH LOAD HANDLING CAPACITY



DURABLE &
DEPENDABLE



SUPPORTS POPULAR BATTERY TYPES (FLAT & TUBULAR)



SAFE FOR DOMESTIC & COMMERCIAL APPLICATIONS





GET POWER PACKED PERFORMANCE EVERYDAY

Optimus series is a micro-controller based Pure Sine wave inverter with premium design and informative LCD display that shows real time performance statistics. It offers flexibility to choose between higher back-up time vs better performance by controlling output voltage & charging current.





Pure Sine Wave Technology



Digital Display with Back-up and Battery Charging Time



Low Voltage Fast Charging Technology (LVFC)*



Mains By-pass Switch in case of Fault



MCB Protection*



Eco and UPS Mode

Key features

- O User can choose charging current, output voltage, ECO/UPS mode, battery type for longer battery life & better performance
- O Charging current can be chosen between 8A-21A* for optimized performance
- O User can choose output voltage between 200V-240V to optimize between longer back-up time and performance

RANGE AVAILABLE



*Maximum charging current in Optimus 1250+ is 18A

For detailed specification please refer last section of this catalogue.



NOW RUN ANYTHING ANY TIME

iCruze is the heavy duty super inverter designed to run heavy loads with ease. Equipped with Pure Sine Wave Technology and advanced micro-controller design, It is the best choice for home and commercial spaces. The LCD display shows important inverter battery performance statistics like charging time, back-up time at current load, running load status, fault indications etc.







Pure Sine Wave Technology



LCD Display



Protection through AC/DC MCB



No Load Shut Down



Supports Flat, Tubular Battery



Eco and UPS Mode

Key features

RANGE AVAILABLE









POWER-PACKED PERFORMER

Power Pro is a Modified Square Wave high-capacity inverter with features such as load and battery level display in percentage, MCB protection and 7-segment digital display, making it a preferred, reliable and value for money option.







Modified Square Wave Technology



Protection through MCB



Faster Battery Charging



Digital Display



3 Modes Battery Charger



Eco and UPS Mode

Key features

- O Battery charge level & load percentage display
- Capable of running heavy loads
- Mains by-pass switch for supplying output directly from grid in case of home inverter fault

RANGE AVAILABLE

Power Pro 2250 2000VA| 24V |1680W

For detailed specification please refer last section of this catalogue.

LUMINOUS

ULTRAICONIC JODI

MORE LOAD

CON RANGE





MORE BACKUP

ULTRA CHARGE RANGE





INVERTER BATTERIES



LONG LIFE



ENHANCED SAFETY




LOW MAINTENANCE



RECYCLABLE







Long-lasting power

Luminous inverter batteries are the best choice to power your Home inverters during long power-cuts. They are

From gel batteries to tubular batteries, we offer a stellar range of quality inverter batteries with enhanced safety and low maintenance. Our batteries are compatible with

all inverters and work best with Luminous inverters.

optimally designed to provide the best of power and resilience.

B¢ OST CHARGE

RAPID CHARGING, **LIMITLESS POTENTIAL**

Boost Charge series—a high-grade battery by Luminous, powered by Rapid $Charge\ technology.\ Experience\ the\ unmatched\ innovation\ with\ features\ that$ $redefine\ convenience:\ fast-charging, minimal\ maintenance, and\ long-lasting$ power back-up. Elevate your energy solutions with Luminous Boost Charge.





Enhanced Performance



48 Months Warranty³



Suitable for Frequent Power-cuts



Maintenance



Made with VPPM Technology



Long Life

Key features

- Fast charging battery due to high porosity gauntlets
- Requires low maintenance as it has corrosion resistant plates
- Long lasting batteries with high grade lead

RANGE AVAILABLE



For detailed specification please refer last section of this catalogue.

POWER MEETS BEAUTY

Ultra Charge Range is the most premium and advanced battery series from the house of Luminous. These are one of a kind Lead-Acid Battery with premium looks. It comes in extra strong casing with enhanced safety features.







Tall Tubular Technology



Warranty 66 Months



Proof Tray



Durable Container



Premium Design



Recyclable

Key features

- A premium offering with maximum power and long service life
- O Robust container that offers enhanced durability and long life
- O Sealed Container & Cover, for safety against acid leakage

RANGE AVAILABLE

UCTT 18066 150 Ah

42+24* Month Warranty

UCTT 24066 180 Ah 42+24* Month

Warranty

25066 200 Ah 42+24* Month Warranty

UCTT

UCTT 26066 220 Ah 42+24* Month

UCTT 28066 250 Ah 42+24* Month Warranty





Life-Max

EXCELLENCE THAT GOES A LONG WAY

Next generation tall tubular battery with better charge acceptance and longer back-up. It contains approximately 20% more acid volume per ampere-hour than ordinary tubular batteries. It comes with extra-strong, flexible, oxidation-resistant gauntlet for better performance and long life.







Tall Tubular Technology



Flat 5 years Warranty



Low Water Top up Frequency



Long



Heavy Duty Tubular Plates for Longer Power Back-up



Recyclable

Key features

- 99.99% pure lead ensure long life (can hold charge for long time when not in use)
- O Super Strong HADI Tubular Plate for Voidless, Unidirectional grain orientation that ensures long life and ultimate performance
- $\bullet \ \ \text{High puncture resistant, imported separator with improved electrical conductivity for best performance }$

RANGE AVAILABLE



For detailed specification please refer last section of this catalogue.

Inverlast

EXCELLENCE REDEFINED

Inverlast range of heavy-duty Tall Tubular batteries are designed to support heavy load of electrical appliances during long & frequent power outages. These batteries contain special grade Lead alloy and are designed for both HRD & SFC application. It is designed with Orthogonal 3D grid design for unmatched electrical performance.







Tall Tubular Technology



Warranty 48-60 Months



Rugged Container



Long Life



Low Maintenance



Recyclable

Key features

- O Best-in-class battery for ultimate comfort during power-cuts
- Made in HPM container with Virgin PPCP, ensures ultra-durability and acid resistance
- Heat Sealed Container & Cover, for safety from acid leakage

RANGE AVAILABLE



ILTT 20060 160 Ah 30+30* Month Warranty

ILTT 24060 180 Ah 36+24* Month Warranty

ILTT

25060 200 Ah 36+24* Month Warranty

ILTT 26060 220 Ah 36+24* Month Warranty

28060 250 Ah 36+24*Month Warranty







PERFORMANCE THAT GOES ON AND ON

This range of Inverlast batteries are designed to cope with mild-to-heavy loads for a longer duration. They are suitable for residential and commercial purposes.





Technology



Warranty 36-48 Months



Rugged Container



Long



Low Maintenance



Recyclable

Key features

- O Provides long power back-up during power outages
- O Superior plate design with optimum PAM/NAM ratio, most suitable for frequent power-cuts application
- O Provided with Microporous ceramic disc fitted float indicators for environmental safety

RANGE AVAILABLE



ILST 12042 100 Ah 24+18* Month Warranty

ILTJ 18148 150 Ah 36+12* Month

For detailed specification please refer last section of this catalogue.



POWER THAT LASTS LONG

Shakti Charge is one of India's most trusted battery. It is an ideal choice for areas with long and frequent power-cuts. It comes with fast charging technology and an enhanced warranty period of 5 years. Its Tall Tubular design ensures $\,$ higher performance and longer back-up hours







Smart Tall **Tubular Technology**



Warranty 60 Months



Fast Charging



Long Life



Contains Antimony Alloy



Recyclable

Key features

- O Smartest battery with long-lasting and super strong electrical performance
- Provided with Microporous ceramic disc fitted float indicators for environmental safety
- O Toughest poly-ethylene separator for long life and ultimate electrical performance

RANGE AVAILABLE









STUNNING PERFORMANCE

This high-performance Tall Tubular battery with longer back-up time, is made of rugged tubular plates. These batteries require minimum maintenance and can withstand long and frequent power-cuts.





Tall Tubular Technology



Warranty 30-60 Months



Rugged Container



Long Life



Low Maintenance



Recyclable

Key features

- Smartest energy storage battery
- High Pressure Heat sealed Container and Cover Design which makes it Leak-proof and Spill-proof
- Plates made of 99.99% Pure Lead & Lead alloy, ensuring long service life with best-in-class electrical performance

RANGE AVAILABLE



*Conditions

For detailed specification please refer last section of this catalogue.

POWER CHARGE

THE POWER OF PERFORMANCE

Power charge batteries are designed for rural and semi-urban areas as they offer long life and less maintenance and are a 'value for money' range. These Batteries made with Tubular Plate Technology offers superior performance during PSoC application.





Tall Tubular Technology



Warranty 30-54 Months



High Capacity



Low Self Discharge



VPPM Technology Container



Recyclable

Key features

- NO-TENSION power back-up battery with long service life
- Made in HPM container with Virgin PPCP, ensures ultra-durability and acid resistance
- O Super Strong HADI Tubular Plate for Unidirectional grain orientation to ensure long life and ultimate performance

RANGE AVAILABLE



*Conditions apply







THE ULTIMATE **PERFORMER**

Red charge range of batteries offer long life and less maintenance and is a 'value for money' range. These tubular technology batteries come with fast $charging\ technology\ and\ are\ suitable\ for\ areas\ with\ frequent\ power-cuts.$







Technology



Warranty 36-42 Months



Enhanced Performance



Power Backup



Suitable for Frequent Power-cuts



Recyclable

Key features

- O Superior plate design with optimum PAM/NAM ratio, most suitable for frequent power-cut application
- Provided with Microporous ceramic disc fitted float indicators for environmental safety
- O Ultimate performance, guaranteed safety with Ultra Pure acid

RANGE AVAILABLE



RC 18000 150 Ah 18+18* Month Warranty

RC 25000 200 Ah 18+18* Month Warranty

For detailed specification please refer last section of this catalogue.



SMART BATTERY FOR SMART CUSTOMERS

Red Charge batteries are excellent for locations with frequent power outages and include fast charging features. They are affordable and offer a long lifespan and require little upkeep.





Enhanced Performance



48 Months



Suitable for Frequent Power-cuts



Low



Made with VPPM Technology



Long Life

Key features

- O Performs best in extreme conditions due to High Oxidation resistance
- Plates made with 99.99% Pure Lead & Lead alloy, ensuring long service life with best-in-class electrical performance
- Minimized grid corrosion at high temperatures

RANGE AVAILABLE



RC 16000 Pro 135 Ah 24+24* Month RC 18000ST Pro 150 Ah 24+24* Month

Pro 150 Ah 24+24* Month

RC 18000

RC 24000 Pro 180 Ah 24+24* Month

RC 25000 Pro 200 tAh 24+24* Month









A strong and beautiful choice

trolley can be placed anywhere in your home.

Luminous offers premium quality, ultra-durable trolley which optimizes storage space and makes your home look beautiful. It is spacious, efficient and made from tough, long-lasting material that prevents floor from getting damaged. This strong, easy to install and compact

DURABLE



EASY TO ASSEMBLE



SAFE FOR CHILDREN



LUMINOUS

SHOCK PROOF

LUMINOUS





A TOUGH AND BEAUTIFUL ACCESSORY

Luminous ToughX Trolley is an elegantly designed product, which is sturdy as a rock and yet pleasing to the eye. It surely is the very best accessory for your Luminous inverter and battery set.





Shock Proof



No Dangling Wire



Super Compatible Works with all Types of Batteries



Easy to Assemble



Premium Quality Wheels



High Durability

Key features

- High Durability
- Easy to assemble
- Superior design

RANGE AVAILABLE



■MPartner App

Luminous mPARTNER is a ONE-STOP-SOLUTION to help partners run business with LUMINOUS, with complete PEACE OF MIND.











TECHNICAL SPECIFICATIONS

:	Series	Model Name	Rating	Input voltage range	Maximum Charging Current	Net Weight (In Kg)	Dimension (LXWXH) In CM	Protection
6.9 ₀		189 Y						
		Eco Watt Neo 700	600VA	100V-290V	13A	7.4 kg	27.5x26x11.5	Low Battery, Short
		Eco Watt Neo 800	700VA	100V-290V	14A	7.8 kg	27.5x26x11.5	
		Eco Watt Neo 900	800VA	100V-290V	14A	8.4 kg	27.5x26x11.5	
Ec Ne	o Watt eo	Eco Watt Neo 1050	900VA	100V-290V	17A	9.3 kg	27.5x26x11.5	Circuit, Overload, Over Charge, Deep Discharge, Over
		Eco Watt Neo 1250 Pro	1100VA	85V-290V	17A	10.4 kg	27.5x30.2x13	Temperature, AC MCB*
		Eco Watt Neo 1650	1500VA	100V-290V	17A	14.5 kg	27.5x30.2x13	
		Eco Watt Neo 2300	2000VA	90V-290V	20A	17.7 kg	40x31.1x15.2	
		Eco Volt Neo 750	650VA	85V-290V	14A	6.8 kg	27.5x26x11.5	Low Battery, Short Circuit, Overload, Over Charge, Deep Discharge, Over Temperature & MCB*
		Eco Volt Neo 850	700VA	85V-290V	14A	7.4 kg	27.5x26x11.5	
		Eco Volt Neo 1050	900VA	85V-290V	17A	9.5 kg	27.5x26x11.5	
Ec	co Volt Neo	Eco Volt Neo 1250	1100VA	85V-290V	17A	13 kg	27.5x30.2x13	
		Eco Volt Neo 1550	1400VA	85V-290V	17A	13.5 kg	27.5x30.2x13	
		Eco Volt Neo 1650	1500VA	85V-290V	17A	14 kg	27.5x30.2x13	
		Eco Volt Neo 2300	2000VA	85V-290V	20A	17.9 kg	40x31.1x15.2	
Icon		Icon 1100	900VA	85V-290V	17A	13 kg	76.5x24.6x50.5	Low Battery, Short Circuit, Overload, Over
	Icon 1600	1400VA	85V-290V	21A	16.8 kg	76.5x24.6x50.5	Charge, Deep Dis- charge, Over Tempera- ture & MCB*	
Ze	elio Smart	Zelio Smart 1100	900VA	110V-285V	15A	10 kg	27.5x24.8x12	Overload, Low Battery, Over Charge, Short Circuit, Over Temperature & Wrong Wiring

0	Series	Model Name	Rating	Input voltage range	Maximum Charging Current	Net Weight (In Kg)	Dimension (LXWXH) (in CM)	Protection	
ŀ	000	***							
	Shakti	Shakti Charge 1150	900VA	90V-290V	16A	9.9 kg	40.2x24x13.2	Overland Chart simuit	
	Charge & Eco Watt	Shakti Charge 1450	1100VA	90V-290V	20A	11.1 kg	40.2x24x13.2	Overload, Short-circuit, Battery Deep Discharge, Low Battery, Overcharge	
	Rapid	Eco Watt XL Rapid 1650	1500VA	90V-290V	27A	14.6 kg	40.2x32x15	20% Baccory, Overcharge	
		Optimus 1250+	1100VA	85V-285V	18A	11.4 kg	30.5x27.5x13.9		
	Optimus	Optimus 2300+	2000VA	85V-285V	21A	21 Kg	30x32.6x28.4	Deep Discharge,	
	Optimus	Optimus 2800+	2500VA	85V-285V	21A	22.5 kg	30x32.6x28.4	Overload, Short-circuit, Over Temperature MCB	
		Optimus 3800+	3500VA	85V-285V	21A	31.5 kg	30x41.7x45.2		
	Power Pro	Power Pro 2250	2000VA	90V-290V	20A	20.2 kg	40x33x16.5	Low Battery, Reverse Polarity, Short Circuit, Overload, Over Charge, Deep Discharge, Over Temperature & MCB	
		iCruze 5000+	4000VA	140V-280V	21A	36 kg	30x47.1x45		
		iCruze 6000+	5500VA	140V-280V	21A	36 kg	30x36.6x42.5	Low Battery, Reverse Polarity, Short Circuit, Overload, Over Charge, Deep Discharge, Over Temperature, DC & AC MCB	
	iCruze	iCruze 7000+	6000VA	140V-280V	21A	48 kg	30x36.6x42.5		
		iCruze 9000+	7500VA	140V-280V	21A	71.62 kg	30x47.1x56		
		iCruze 11000+	10000VA	140V-280V	21A	77.8 kg	30x47.1x56		
	Li-On	Li-On 1250	1100VA	95V-285V	21A	25 kg	30x35.5x28.4	Low Battery Pre-Alarm, Overload & short circuit, DC MCB	



TECHNICAL SPECIFICATIONS

Series	Model Name	C20*	Warranty	Filled weight	Dimension of battery upto terminal without float indicator fitted
		(Ah)	(Months)	±5% Kg	Length x Width x Height (In CM) (± 0.5cm)
	UCTT18066	150	42+24*	57	50.4 X 18.6 X 42.4
	UCTT24066	180	42+24*	58.5	50.4 X 18.6 X 42.4
Ultra Charge	UCTT25066	200	42+24*	61	50.4 X 18.6 X 42.4
	UCTT26066	220	42+24*	62	50.4 X 18.6 X 42.4
	UCTT28066	250	42+24*	70.5	50.4 X 18.6 X 42.4
Lifemax	LM18075	150	60+15*	59.5	50.2 X 19.1 X 44
	ILTT18060 Pro	150	36+24*	54	50.2 X 19.1 X 44
	ILTT20060	160	30+30*	54	50.2 X 19.1 X 44
Inverlast	ILTT24060	180	36+24*	59.5	50.2 X 19.1 X 44
IIIVeriast	ILTT25060	200	36+24*	63.5	50.2 X 19.1 X 44
	ILTT26060	220	36+24*	62	50.2 X 19.1 X 44
	ILTT28060	250	36+24*	70.5	50.2 X 19.1 X 44
	ILST10036	80	24+12*	27	41 X 17.4 X 30.5
Inverlast ST	ILST12042	100	24+18*	40	50.5 X 22 X 30.8
	ILTJ18148	150	36+12*	52.5	51.8 X 27.2 X 30.7
Shakti Charge	SC18060	150	36+24*	49.5	50.2 X 19.1 X 38.8
Extra Charge	EC18060	150	36+24*	55	50.2 X 19.1 X 44
Eco Charge	ECO 18000	150	24+18*	49.5	50.2 X 19.1 X 38.8
Neo Charge	Neo 18030	150	15+15*	52.5	50.2 X 19.1 X 44

*RATED C20 CAPACITY AT 27DEG	C&1240 TEST GRAVITY
RATED CZO CAFACITTAT Z/DEO	. C & I.270 I LS I ONAVII I

Series	Model Name	C20*	Warranty	Filled weight	Dimension of battery upto terminal without float indicator fitted
		(Ah)	(Months)	±5% Kg	Length x Width x Height (In CM) (± 0.5cm)
	PC18042	150	24+18*	54	50.2 X 19.1 X 44
	PC20042TT	160	21+21*	54	50.2 X 19.1 X 44
Power Charge	PC18054 Pro	150	30+24*	54	50.2 X 19.1 X 44
	PC18054TJ Pro	150	30+24*	50.5	51.8 X 27.2 X 30.7
	RC18000	150	18+18*	52.5	50.2 X 19.1 X 44
Red Charge	RC18000ST	150	18+18*	43.5	50.5 X 22 X 30.8
	RC25000	200	18+18*	58	50.2 X 19.1 X 44
	RC15000 Pro	120	24+24*	39	50.5 X 22 X 30.8
	RC16000Pro	135	24+24*	43.5	50.5 X 22 X 30.8
	RC18000ST Pro	150	24+24*	43.5	50.5 X 22 X 30.8
Red Charge Pro	RC18000 Pro	150	24+24*	52.5	50.2 X 19.1 X 44
	RC24000 Pro	180	24+24*	58	50.2 X 19.1 X 44
	RC25000 Pro	200	24+24*	58	50.2 X 19.1 X 44
	RC26000 Pro	220	24+24*	60	50.2 X 19.1 X 44
Boost Charge	BC16048ST	120	24+24*	43.5	50.5 X 22 X 30.8
	BC 18048ST	135	24+24*	43.5	50.5 X 22 X 30.8